### भारत सरकार डलेक्ट्रॅबिकी और सूचना प्रौद्योगिकी मंत्रालय एस टी क्यू सी निदेशालय

# इलेक्ट्रॉनिकी क्षेत्रीय परीक्षण प्रयोगशाला (पूर्व)

कोलकाता



#### Government of India Ministry of Electronics & Information Technology STQC Directorate

## **ELECTRONICS REGIONAL TEST LABORATORY (EAST)**

Kolkata

Project No. ES/EMBI/202101

6th August 2020

Web Application Security Audit

**Application Name** 

: Website of Consulate General of India, Shanghai

Customer's Address : Consulate General of India

: 10th Floor, 1008, Shanghai International Trade Centre

: 2201, Yan An (West) Road

: Shanghai-200 336, People's Republic of China

Site URL

: https://www.cgishanghai.gov.in

Temporary URL

: https://www.cgishanghai.gov.in/shanghai\_stqc/

Audit Performed by : STQC IT Services, Kolkata

Testing Date

: 7th May 2020 to 11th May 2020 (Stage-I)

9th June 2020 to 12th June 2020 and 22nd July 2020 to 27th July 2020 (Stage-II)

OWASP Top 10 (2017) Vulnerabilities

OTTAST TOP TO (2017) TURNETURE			
SI. No	Web Application Vulnerabilities	Observation	Remarks
A1	Injection	No issues	
A2	Broken Authentication	No issues	••
A3	Sensitive Data Exposure	No issues	
A4	XML External Entities	No issues	
A5	Broken Access Control	No issues	
A6	Security Misconfiguration	No issues	
A7	Cross-Site Scripting	No issues	
A8	Insecure Deserialization	No issues	•-
Α9	Using Components with Known Vulnerabilities	No issues	
A1 0	Insufficient Logging and Monitoring	No issues	

#### Recommendation:

1. The website may be hosted at https://www.cgishanghai.gov.in,with Read Only permission.

2. Hardening / proper secured configuration of the Web Server and Operating System need to be done in the production environment where the application will be hosted. Vulnerability assessment of the critical servers and perimeter devices should be done at regular intervals.

Conclusion:

The Web Application is free from OWASP-Top 10 (2017) vulnerabilities and is safe for hosting, if configured as recommended.

Audited By: Arpita Datta

Scientist 'E'

Approved By: Subhendu Das 6/8/2020

Scientist 'G' & Head, eSecurity Testing



डी.एन. - 63, सेक्टर - ∨, सॉल्ट लेक सिटी, कोलकाता - 700 091 ● DN-63, Sector - V. Sait Lake City, Kolkata - 700 091 Phone:(033)2367-3662/6577/7543(EPABX),FAX:+91-33-2367-9472, e-mail: ertleast@stqc.gov.in,Website: www.stqc.gov.in